

## The hardware catalogue



Over 370 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

### The Pro tools catalogue

## **Hardware** tools intro











#### Content

3 **Hardware Tools** 

#### 6 **Hardware Saws**

- 8 Handsaws
- 9 Other saws
- 10 Replacement blades

#### 12 CarbonMax<sup>™</sup> Knives Introducing blades that stay sharp 24x longer than

- the competition
- 15 Utility Knives
- 17 Utility Knives, (snap-off)
- 18 Changeable Blades

#### 20 **Hardware Knives**

#### 24 PowerGear<sup>™</sup> Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

#### PowerArc<sup>™</sup> Scissors 28

Make cutting easier, especially at the end of the cut where more force is required Amplify<sup>™</sup> Scissors

### 31

#### PowerGear<sup>™</sup> Bolt Cutters 32

Make cutting hardened rods up to 30% easier, especially at the beginning of the cut where more force is required

#### 35 IsoCore<sup>™</sup> Tools

Shock control system absorbs strike shock and vibration to reduce the punishment your body takes, transferring up to 70% less shock and vibration than wood handles

- 36 **Striking Tools**
- **40** Hammers
- **Demolition Tools** 42
- 44 Iron bars

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

## Relentless

Working hard is in your DNA. Which is why every day, you go out there and dig. Pry. Strike. And demolish. Your work is rigorous. Relentless. And unforgiving. And at the end of the day, you hurt. We feel your pain.

Truth is, there are plenty of tools out there that "get the job done." But how many of them can also say they work for you? We can.

We work tirelessly to design tools that not only perform and last, but reduce negative impact on your body. It's called Advanced Human Engineering and it's a process of study, design and validation that puts you at the center of it all. It's ruthless. But at the end of the day, it solves problems. Real problems for real people. And that is the heart of our design DNA.

## Hardware tools

### CarbonMax<sup>™</sup> Knives

Introducing blades that stay sharp 24x longer than the competition.

### **PowerGear**<sup>™</sup> Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

### PowerGear<sup>™</sup> Bolt Cutters

Make cutting hardened rod up to 30% easier, especially at the beginning of the cut where more force is required.

### **PowerArc<sup>™</sup> Heavy Duty Scissors**

Make cutting easier, especially at the end of the cut where more force is required.

### **IsoCore<sup>™</sup> Demolition Tools**

Take on extreme projects with the industry's best shock control system.

### **PowerTooth<sup>™</sup>Saws**

Cut faster, straighter, closer & safer.

## **Pro tool technologies**









## POS materials

The Fiskars® Pro assortment is supported by a wide range of POS materials, from category-specific top signs and posters, to popups and wobblers, to informative shelfdividers with detailed information about technologies and products.

We also offer a modular display which is easily stacked with our shelf-ready retail packaging.











Pop-ups (600x1600mm)








Shelf-dividers (200x1000mm)







Wobblers (110x 110mm)





Universal displays (790x298mm)



Floor stickers (650mm)



**Retail boxes** 

Utility knives, claw hammers, aviation snips & heavy duty scissors come in shelf-ready retail packaging.

#### Sharper.

Razor-sharp PowerTooth<sup>™</sup> blade cuts faster & stays sharp longer.

#### Tougher.

Full-body metal construction, tested to withstand drops and impacts.

#### More Comfortable.

Ergonomic design supports multiple grips for whatever the job demands.

Q

Power support to rip through rough materials.

Fine teeth for a controlled easy cut start.

**PowerTooth**<sup>™</sup> technology offering precise triple-grinding for razor-sharp teeth.

PowerTooth<sup>™</sup> Universal

FISKARS® P

UNIVERSAL BLADE WITH POWER TOOTH

hand saws

### **PowerTooth**<sup>™</sup>

#### **INDUCTION-HARDENED**

N N N N N N N N N N



Intelligently textured SoftGrip<sup>™</sup> that displaces moisture, prevents blisters and provides a slip-free hold.

Included sheath securely locks onto blade for safe storage and transport and includes a built-in carpenter pencil holder.





## Saws

#### Hacksaw

Blade tensioning mechanism that clicks into place for optimal tensioning every time. A secondary grip feature for two-handed power, precision and control. Blade secures in out-front position for cutting in small spaces.

# <complex-block> TrueTension" BLADE TENSIONING BLADE TENSIONING CLOCESSE Ortool blade storage

### Folding pull saws

Folding mechanism to protect fine delicate teeth and protect user from abrasions with a quick, accessible lock that clicks to communicate a securely locked blade. Hex bolt for intuitive and secure blade replacement.

### **Compact folding saw**

Accepts standard reciprocating saw blades and opens with the flick of the wrist. Intuitive, fast front-loading blade change that fits standard reciprocating saw blades. Ergonomic control positioning for comfort in tight situations.

### Jab saw with sheath

Ultra-sharp, sturdy fixed blade with rugged sheath for ultimate safety. PowerTooth" technology offering precise triple-grinding for razor-sharp teeth and a rasp for smoothing out rough cuts. The reinforced metal pommel end provides reliable resistance against pounding and drops.







## Hardware Saws | Handsaws

| PowerToot               | h™ Handsa  | w, 380mm 9             | Ətpi                    |               |   |  | EAN  |   |
|-------------------------|--|------------------------|-------------------------|---------------|---|--|--|---|
| Height: <b>49.85 cm</b> | Length: 4.06 cm  | Width: 17.78 cm        | Weight: 0.51 kg         | Retail box: 3 | Art. no.  | 1062930  | E  | 6 4 1 1 5 0 1 2 0 1 1 3   |
| New                     | SKARS PRO  |                        |                         |               | <ul> <li>RapidSt.</li> <li>no binding</li> <li>Middle a<br/>through al</li> <li>Oversize<br/>SoftGrip™</li> </ul> | g for quicker, clear<br>and heel of blade f<br>I types of wood, la | iology offe<br>ner cut sta<br>feature 9 1<br>aminate, I<br>red hands<br>a slip-fre | ers greater control with virtu:<br>arts .<br>TPI for forceful, smooth cuts<br>PVC and more.<br>, and innovative texturing or<br>e hold. |
|                         | *****  | uniter .               |                         |               |   |  |  | i pencil nolder.  |
| PowerToot               | :h™ Handsa   | w, 500mm 9             | Ətpi                    |               |   |  |  |   |
| PowerToot               | <b>:h<sup>™</sup> Handsa</b><br>Length: <b>4.06 cm</b> | Width: <b>17.78 cm</b> | Ptpi<br>Weight: 0.57 kg | Retail box: 3 | Art. no.  | 1062919  | EAN  | 6"411501" 20112   |

| PowerToot        | PowerTooth™ Handsaw, 550mm 7tpi |                 |                 |               |  |  |   |  |  |
|------------------|---------------------------------|-----------------|-----------------|---------------|--|--|---|--|--|
| Height: 67.31 cm | Length: 4.06 cm                 | Width: 17.78 cm | Weight: 0.58 kg | Retail box: 3 | Art. no.   | 1062916  | EA  | 6 <sup>1</sup> 4 1 1 5 0 1 <sup>1</sup> 2 0 1 0 9 6 <sup>1</sup>   |  |
| New              | F                               | SKARS PRO       |                 |               | RapidSta<br>no binding<br>Middle a<br>all types of<br>Oversize | for quicker, clean<br>nd heel of blade fe<br>f wood, laminate, l | ology of<br>ner cut s<br>eatures<br>PVC an<br>ed hanc | fers greater control with virtually<br>starts .<br>7 TPI for forceful cuts through<br>d more.<br>Is, and innovative texturing on |  |

| <ul> <li>Oversized handle insighted handles, and innovative<br/>SoftGrip™ handle provides a slip-free hold.</li> <li>Inclues blade protector with built-in pencil holder.</li> </ul> |
|--|
|  |

| PowerToot        | PowerTooth™ Handsaw, 550mm 9tpi |                 |                 |               |  |                        |                 |                                    |  |  |
|------------------|---------------------------------|-----------------|-----------------|---------------|--|------------------------|-----------------|------------------------------------|--|--|
| Height: 67.31 cm | Length: 4.06 cm                 | Width: 17.78 cm | Weight: 0.58 kg | Retail box: 3 | Art. no.                                   | 1062917                | Ē               | 6"411501"201102                    |  |  |
| New              | F                               | SKARS PRO       |                 |               | <ul> <li>RapidSt<br/>no binding</li> </ul> | g for quicker, cleaner | gy off<br>cut s | ers greater control with virtually |  |  |

Middle and heel of blade feature 9 TPI for forceful, smooth cuts

through all types of wood, laminate, PVC and more.

Oversized handle fits gloved hands, and innovative texturing on SoftGrip™ handle provides a slip-free hold.

Inclues blade protector with built-in pencil holder.

| PowerToo         | EAN             | 6 <sup>1</sup> 4 1 1 5 0 1 <sup>11</sup> 2 0 1 1 1 9 <sup>1</sup> |                 |               |            |                 |             |                              |
|------------------|-----------------|---|-----------------|---------------|------------|-----------------|-------------|------------------------------|
| Height: 67.31 cm | Length: 4.06 cm | Width: 17.78 cm   | Weight: 0.58 kg | Retail box: 3 | Art. no.   | 1062918         | Ξ.          | 6" 4 1 1 5 0 1" 2 0 1 1 1 9" |
| M                |                 |   |                 |               | • Triple-g | round saw blade | for fast, p | owerful cuts.                |



RapidStart<sup>™</sup> blade technology offers greater control with virtually no binding for quicker, cleaner cut starts .
Middle and heel of blade feature 11 TPI for smooth, clean cuts

through softer wood.
Oversized handle fits gloved hands, and innovative texturing on SoftGrip™ handle provides a slip-free hold.

Inclues blade protector with built-in pencil holder.


### **Other Saws**

| TrueTensio              | n™ H    | acksa           | w, 30       | 0mm 2    | 4tpi    |          |             |   |   |  | z   |
|-------------------------|---------|-----------------|-------------|----------|---------|----------|-------------|---|---|--|---|
| Height: <b>41.27 cm</b> | Length: | 1.52 cm         | Width:      | 18.42 cm | Weight: | 0.83 kg  | Retail box: | 3 | Art. no.  | 1062931  | 6"411501" 201140  |
| New                     |         | 2               |             |          |         |          | ·           |   | is achieved.<br>• TrueTensior<br>tion-free blad<br>• Quick, clear<br>bolts, nails ar<br>• Blade chan<br>visible, easily<br>• Innovative t<br>hold.<br>• Includes on | <sup>™</sup> provides confide<br>te tightening.<br>n cuts on metal, pla<br>nd more.<br>ges are faster and e<br>accessible on-tool<br>exturing on SoftGri   | p™ handle provides a slip-free<br>etal blade (24 TPI). Replacement  |
| PowerToot               | h'™ D   | etail Pi        | ull sa      | w, 150n  | nm 19   | etpi     |             |   |   |  | EAN   |
| Height: <b>40.96 cm</b> | Length: | 2.79 cm         | Width:      | 12.7 cm  | Weight: | 0.20 kg  | Retail box: | 6 | Art. no.  | 1062932  | 6 <sup>11</sup> 411501 <sup>11</sup> 201157   |
| New                     |         |                 |             |          |         |          |             |   | and prevents<br>• Fine-finish,<br>detailed, clea<br>• Flexible for<br>• Compact si<br>• Ideal for use<br>• SoftGrip™1<br>moisture, pre                              | accidental deployr<br>19 TPI blade offers<br>in cuts.<br>quick, easy and cle<br>ze allows for easy a<br>e on softer woods.<br>touchpoints feature          | excellent accuracy and control fo<br>an flush cuts.<br>ccess and is ideal for precise cuts<br>innovative texturing that displace<br>provides a slip-free hold.  |
| PowerToot               | h™ Fo   | olding          | Pull s      | aw, 250  | 0mm     | 13tpi    |             |   |   |  | EAN   |
| Height: 60.96 cm        | Length: | 2.79 cm         | Width:      | 15.24 cm | Weight: | 0.32 kg  | Retail box: | 3 | Art. no.  | 1062933  | 6"411501"201164   |
| New                     |         |                 |             |          |         | <b>?</b> |             |   | <ul> <li>Optimized 1<br/>softer woods<br/>more.</li> <li>Flexible for<br/>Hooked end</li> <li>SoftGrip<sup>TM</sup><br/>moisture, pre</li> </ul>                    | , while allowing for g<br>easy, clean flush cu<br>d provides a secure<br>touchpoints feature   | excellent precision and control or<br>general cuts on 2x4s, PVC and<br>ts.<br>hold for pulling motion.<br>innovative texturing that displace<br>provides a slip-free hold.  |
| Compact F               | oldin   | <b>g Tool</b> k | oox S       | aw, 2 b  | lades   | ;        |             |   |   |  | z   |
| Height: <b>33.65 cm</b> | Length: | 2.79 cm         | Width:      | 12.7 cm  | Weight: | 0.19 kg  | Retail box: | 6 | Art. no.  | 1062934  | 6 <sup>1</sup> 411501 <sup>2</sup> 0117 <sup>2</sup>  |
| New                     | 0       |                 | •           |          |         |          |             |   | <ul> <li>One-hande<br/>with just the f</li> <li>Quick, easy</li> <li>Optimal for</li> <li>SoftGrip ™</li> <li>es moisture, j</li> <li>Includes tw</li> </ul>        | lick of a wrist.<br>, front-loading blad<br>most 15 cm recipro<br>touchpoints feature<br>prevents blisters an<br>o saw blades with ii<br>Tooth ™ blade for | allows for fast blade deployment<br>e changes.<br>cating saw blades.<br>e innovative texturing that displac<br>d provides a slip-free hold.<br>nduction-hardened teeth: One<br>wood and plastic and one 24 TPI    |
| PowerToot               | h™ Ja   | ab Saw          | <b>with</b> | Sheat    | h 8tpi  |          |             |   |   |  | z   |
| Height: <b>38.74 cm</b> | Length: | 3.81 cm         | Width:      | 15.24 cm | Weight: | 0.18 kg  | Retail box: | 6 | Art. no.  | 1062935  | 6"411501"201188   |
| New                     |         | North Ball      |             |          |         |          |             |   | clip and hang<br>• Triple-grour<br>tra-sharp tip f<br>• Rasp on no<br>• Handle is si<br>with textured   | hole for storage.<br>Ind blade cuts with s<br>for piercing quick st<br>n-sawing side of bla<br>zed and shaped for<br>SoftGrip™ for a slip                  | a secure fit. Sheath features a be<br>speed and efficiency with ul-<br>arts through plasterboards.<br>ade smooths out rough cuts.<br>optimized comfort and control<br>o-free hold.<br>against pounding and drops. |

Reinforced metal end protects against pounding and drops.
Low-friction blade coating resists rust and dust buildup.

### **Other Saws | Replacement blades**

| Builder's S           | Builder's Saw, 233 mm |   |                 |               |   |  |  |  |  |  |
|-----------------------|-----------------------|---|-----------------|---------------|---|--|--|--|--|--|
| Height: <b>3.4 cm</b> | Length: 40 cm         | Width: 8.5 cm   | Weight: 0.13 kg | Retail box: 4 | Art. no. <b>1000612</b>   | 6 <sup>6</sup> 4 1 1 5 0 1 <sup>1</sup> 2 3 8 6 0 3 <sup>1</sup> |  |  |  |  |
|                       |                       | NAME<br>NAMES AND |                 |               | <ul> <li>Features a handy belt clip</li> <li>SoftGrip<sup>™</sup> handle ensures</li> </ul> | d inside the handle when not in use.                             |  |  |  |  |



on-tool blade storage.

19 TPI
Blade length: 15 cm

Induction-hardened teeth provide long-lasting sharpness.
Low-friction coating prolongs blade life and resists rust.
Fits Fiskars® Pro Folding pull saw (item #1062933), which has an

intuitive hex-bolt blade replacement mechanism.

Replacement Blade Pull Saw 150mm 19tpi EAN Height: 0.64 cm Length: 12.7 cm Width: 25.4 cm Weight: 0.09 kg Retail box: 12 1062942 Art. no. 411501 "201256 New Bind-resistant profile with 19 TPI for fine finishing work. Ideal for accurate, controlled cuts on softer woods.
Thin kerf allows flexibility for quick, clean flush cuts. • Induction-hardened teeth provide long-lasting sharpness. Low-friction coating prolongs blade life and resists rust.
Fits Fiskars® Pro folding detail pull saw (item #1062932), which has an intuitive hex-bolt blade replacement mechanism.

| Replaceme       | Replacement Blade Pull Saw 250mm 13tpi |                        |                 |                |  |              |            |   |  |  |
|-----------------|--|------------------------|-----------------|----------------|--|--------------|------------|---|--|--|
| Height: 0.64 cm | Length: 12.7 cm                        | Width: <b>35.56 cm</b> | Weight: 0.14 kg | Retail box: 12 | Art. no.                                     | 1062943      | EA         | 6" 4 1 1 5 0 1" 2 0 1 2 6 3"  |  |  |
| New             |  |                        |                 |                | <ul> <li>Ideal for<br/>on 2x4s, F</li> </ul> | VC and more. | n softer v | or a fine finish.<br>voods as well as general cuts<br>, clean flush cuts. |  |  |

## Cut faster, straighter, closer & safer.



## Sharper, smarter, more durable knives.

## **CarbonMax**<sup>™</sup>

#### Sharper.

CarbonMax<sup>™</sup> blades stay sharp longer than the competition – even carbide.

#### Tougher.

Full-body metal construction, tested to withstand drops and impacts.

#### More comfortable.

Ergonomic design supports multiple grips for whatever the job demands.




Carbide

CarbonMax<sup>™</sup>

Standard

Laboratory tested and verified.

## **Utility Knives**



## **Utility Knives | Changeable Blades**

| CarbonMa            | x™ Compac              | t Folding Ut           | tility Knife    |                |   | EAN   |
|---------------------|------------------------|------------------------|-----------------|----------------|---|---|
| Height: 18.42 cm    | Length: 2.13 cm        | Width: <b>10.8 cm</b>  | Weight: 0.84 kg | Retail box: 3  | Art. no. <b>1062939</b>   | 6 <sup>6</sup> 411501 <sup>9</sup> 201225 <sup>9</sup>                                    |
| New                 | reason and             | )                      | ·               | ·              | <ul> <li>Smaller than other folding utility pockets &amp; toolbelts.</li> <li>One-handed, flip-open design</li> <li>Quick, easy front-loading blade</li> <li>Reinforced metal end for sturdy pounding and drops.</li> <li>Includes one CarbonMax™ util</li> </ul>   | for fast blade deployment.<br>change.<br>r, reliable resistance against                   |
| CarbonMa            | x™ Safety U            | tility Knife           |                 |                |   | z   |
| Height: 26.04 cm    | Length: 2.95 cm        | Width: <b>11.13 cm</b> | Weight: 0.23 kg | Retail box: 3  | Art. no. 1062938  | 6 4 1 1 5 0 1 2 0 1 2 1 8   |
| New                 | Course total           | 1                      |                 |                | <ul> <li>Auto-retracting blade for safety</li> <li>Intuitive, one-handed blade deg</li> <li>Safety lock prevent accidental l</li> <li>Knife easily hinges open for too</li> <li>Reinforced metal end for sturdy pounding and drops.</li> <li>Includes one CarbonMax<sup>™</sup> util</li> </ul>           | oloyment.<br>olade release.<br>I-free blade changes.<br>r, reliable resistance against    |
| CarbonMa            | x™ Fixed Ut            | ility Knife            |                 |                |   | z   |
| Height: <b>3 cm</b> | Length: 25.9 cm        | Width: <b>10.9 cm</b>  | Weight: 0.20 kg | Retail box: 6  | Art. no. <b>1027222</b>   | 6 <sup>6</sup> 4 1 1 5 0 1 <sup>7</sup> 7 0 1 4 0 4                                       |
| +1                  | resource target        |                        |                 | Retail<br>pack | <ul> <li>Folding blade guard deploys wi<br/>venient, easy protection.</li> <li>Reinforced metal end provides<br/>ing and drops.</li> <li>Knife hinges open for easy blad</li> <li>Includes one CarbonMax™ util</li> <li>Accommodates five standard-se</li> </ul>  | reliable resistance against pound-<br>le change with no loose parts.<br>ity blade.        |
| CarbonMa            | x™ Retracta            | able Utility K         | nife            |                |   | z   |
| ⊣eight: <b>3 cm</b> | Length: 25.9 cm        | Width: <b>10.9 cm</b>  | Weight: 0.17 kg | Retail box: 6  | Art. no. <b>1027223</b>   | 6"411501"701411"  |
| +1                  | Transmitted            |                        |                 | Retail<br>pack | <ul> <li>Side blade actuation helps prev<br/>when you're in the middle of a job</li> <li>Knife easily hinges open with ne<br/>during blade change.</li> <li>Reinforced metal end provides<br/>pounding and drops.</li> <li>Includes one CarbonMax™ util</li> <li>Accommodates five standard-se</li> </ul> | ).<br>D loose parts to keep track of<br>sturdy, reliable resistance against<br>ity blade. |
| CarbonMa            | x™ Folding             | Utility Knife          |                 |                |   | z   |
| ⊣eight: <b>3 cm</b> | Length: <b>18.5 cm</b> | Width: <b>10.9 cm</b>  | Weight: 0.17 kg | Retail box: 6  | Art. no. <b>1027224</b>   | 6 <sup>6</sup> 4 1 1 5 0 1 <sup>7</sup> 7 0 1 4 2 8 <sup>1</sup>                          |
| E                   |                        | Ø                      |                 | Retail pack    | <ul> <li>Dual-locking system prevents a<br/>sacrificing blade-change speed.</li> <li>Easy, one-handed, flip-open de<br/>flick of a wrist.</li> <li>Ergonomic design, including de<br/>allows for multiple grips.</li> </ul>   | esign means knife opens with the  |

## **Utility Knives | Changeable Blades**

| CarbonM               | ax™ Painter   | s Utility Knife       | е               |                |  | z  |   |
|-----------------------|---------------|-----------------------|-----------------|----------------|--|--|---|
| Height: <b>3.3 cm</b> | Length: 26 cm | Width: <b>10.9 cm</b> | Weight: 0.24 kg | Retail box: 6  | Art. no.   | 1027225  | 6 <sup>1</sup> 4 1 1 5 0 1 <sup>11</sup> 7 0 1 4 3 5 <sup>1</sup>   |
| +1                    | P.            |                       | -               | Retail<br>pack | paint bucke<br>Includes a<br>and openin<br>Reinforce<br>drops and p<br>Knife eas<br>Push & sli<br>Includes of              | et lids.<br>#1 size flathead screwo<br>ng paint cans.<br>ed metal end provides s<br>pounding.<br>ily flips open for one-ha | magnet for blade security.<br>ty blade.   |
| CarbonM               | ax™ Drywal    | ler Utility Kn        | ife             |                |  |  |   |
| Height: 3cm           | Length: 26 cm | Width: 10.9 cm        | Weight: 0.21 kg | Retail box: 6  | Art. no.   | 1027226  | 6 4 1 1 5 0 1 7 0 1 4 4 2   |
| +1                    |               | DECLE EXCLUSION       |                 | Retail<br>pack | drywall for<br>• Reinforce<br>sinking scru<br>• Both blad<br>• Push & sli<br>• Top retrac<br>• Knife hing<br>• Includes of | electrical boxes & more<br>ed metal end to knock o<br>ews and nails.<br>les deploy from the sar                            | but drywall pieces, and to finish<br>ne end for ease and safety.<br>des magnet that secures blade.<br>cidental retraction.<br>ss and cleaning.<br>sy blade. |

### **Snap-off Knives | Changeable Blades**



| CarbonMa              | ax™ Snap-of             | ff Knife, 18 n        | nm              |                |  | AA MARKAN ANA ANA ANA ANA ANA ANA ANA ANA ANA |
|-----------------------|-------------------------|-----------------------|-----------------|----------------|--|---|
| Height: <b>2.6 cm</b> | Length: <b>25.9 cm</b>  | Width: <b>10.9 cm</b> | Weight: 0.15 kg | Retail box: 8  | Art. no. <b>1027227</b>  | 6 4 1 1 5 0 1 7 0 1 4 5 9                     |
| -1                    |                         |                       |                 | Retail<br>pack | parts.<br>• Integrated segment snap<br>captures — used blades. |   |
| CarbonMa              | ax <sup>™</sup> Snap-of | ff Knife, 25 n        | nm              |                |  |   |
| Height: <b>2.9 cm</b> | Length: <b>25.9 cm</b>  | Width: <b>10.9 cm</b> | Weight: 0.24 kg | Retail box: 6  | Art. no. 1027228   | 6 <sup>11</sup> 411501 <sup>11</sup> 701466   |
| 45                    |                         |                       | 7               | Retail<br>pack | parts.<br>• Integrated segment snap<br>captures — used blades. |   |
|                       | 1/-0/                   |                       |                 |                |  |   |


### **Changeable Blades**

| CarbonMa         | CarbonMax™ Utility Knife Blades, 20 pack |                |                 |               |  |                     |   |  |  |  |
|------------------|--|----------------|-----------------|---------------|--|---------------------|---|--|--|--|
| Height: 17.78 cm | Length: 1.55 cm                          | Width: 10.8 cm | Weight: 0.12 kg | Retail box: 6 | Art. no.   | 1062940             | EA  | 6"411501"201232"   |  |  |
| New              |  | 2              | x20             |               | knives.<br>• Blade fe<br>• Stays s<br>• Labora<br>• Blades | eature Fiskars' pro | oprietary,<br>nger than<br>erified.<br>iives as w | flax™ 25 mm snap-off utility<br>, edge-retention coating.<br>standard utility blades.<br>rell. |  |  |

| CarbonMa        | ax™ Utility K  | Knife Blades  | s, 10 pack      |               |  |                     | z                                |
|-----------------|----------------|---------------|-----------------|---------------|--|---------------------|----------------------------------|
| Height: 16.5 cm | Length: 1.3 cm | Width: 7.6 cm | Weight: 0.05 kg | Retail box: 6 | Art. no.   | 1027230             | <b>6</b> 4 1 1 5 0 1 7 0 1 4 8 0 |
|                 |                |               | x 10            |               | knives.<br>• Blade fe<br>• Stays s<br>• Labora<br>• Blades | eature Fiskars' pro | ives as well.                    |

| CarbonMa               | EAN                 |               |                 |               |  |                     |                                    |  |
|------------------------|---------------------|---------------|-----------------|---------------|--|---------------------|------------------------------------|--|
| Height: <b>16.5 cm</b> | Length: <b>1 cm</b> | Width: 7.6 cm | Weight: 0.02 kg | Retail box: 6 | Art. no.   | 1027229             |                                    | 6 <sup>11</sup> 4 1 1 5 0 1 <sup>11</sup> 7 0 1 4 7 3 <sup>1</sup>                     |
|                        |                     | <u>~</u>      | x5              |               | knives.<br>• Blade fe<br>• Stays sh<br>• Laborat | ature Fiskars' prop | orietary, e<br>er than st<br>fied. | x™ 25 mm snap-off utility<br>edge-retention coating.<br>tandard utility blades.<br>II. |

• Pack includes 5 blades.



**x5** 

- Blade snaps off cleanly for a new sharp tip.
  Pack includes 5 x 18 mm blades.

| CarbonMa               | ax™ Snap-of    | ff Blades, 25 | 5 mm, 5 pack    | ۲.            |                      |                     | EAN  |
|------------------------|----------------|---------------|-----------------|---------------|----------------------|---------------------|--|
| Height: <b>21.6 cm</b> | Length: 1.6 cm | Width: 7.6 cm | Weight: 0.09 kg | Retail box: 6 | Art. no.             | 1027233             | 6 <sup>11</sup> 411501 <sup>11</sup> 701510 <sup>11</sup>  |
|                        | 111            |               | ×5              |               | knives.<br>• Blade f | eature Fiskars' pro | CarbonMax™ 25 mm snap-off utility<br>oprietary, edge-retention coating.<br>oer than standard utility blades. |

- Laboratory tested and verified.
  Blade snaps off cleanly for a new sharp tip.
  Pack includes 5 x 25 mm blades.

| Height: 17.8 cm | Length: 1 cm | Width: 4.8 cm | Weight: 0.07 kg | Retail box: 6 | Art. no. <b>1048066</b>                 | 6 <sup>11</sup> 411501 <sup>11</sup> 56039 |
|-----------------|--------------|---------------|-----------------|---------------|---|--|
|                 |              | 0             | x10             |               | knives.<br>• Blade feature Fiskars' pro | r a new sharp tip.                         |

| CarbonMa        | ix <sup>™</sup> Snap-of | ff Blades, 25 | 5 mm, 10 pac    | k             |   |                      | z                 |
|-----------------|-------------------------|---------------|-----------------|---------------|---|----------------------|-------------------|
| Height: 21.6 cm | Length: 3.2 cm          | Width: 7.6 cm | Weight: 0.17 kg | Retail box: 6 | Art. no. 1  | 1048067              | 6"411501" 560407" |
|                 | 111                     | / <u></u> 0/  | x 10            |               | knives.<br>• Blade featur<br>• Stays sharp<br>• Laboratory t<br>• Blade snaps | re Fiskars' propriet | ew sharp tip.     |

## Stay Sharp knives for every task

TN

## **Hardware Knives**

For effective cuts, it's important to keep your knife as sharp as possible. That's why we've integrated a high-quality sharpener into every sheath. This sheath is available for all knives within this range so you'll always have it with you.

The handle has great ergonomics, while innovation in the sheaths allow for both left- and right-handed use. The range consists of 5 different colour-coded knives for all your building tasks.



## Hardware Knives | Fixed Blades

| Builder's K           | Z                      |               |                 |                |             |   |      |  |
|-----------------------|------------------------|---------------|-----------------|----------------|-------------|---|------|--|
| Height: <b>3.6 cm</b> | Length: <b>22.7 cm</b> | Width: 4.2 cm | Weight: 0.09 kg | Retail box: 12 | Art. no.    | 1023617   | Ē    | 6 <sup>1</sup> 4 1 1 5 0 1 <sup>11</sup> 5 6 0 1 6 2 <sup>11</sup> |
|                       | 0                      |               |                 |                | • Built-in, | ality blade that lasts l<br>easy-to-use sharper<br>eversable for right- o | ner. |  |







- Works also as deburring file.
- Built-in, easy-to-use sharpener.
  Sheath reversable for right- or left-handed use.
  3-component ergonomic handle (patent pending).

| Craftsmar            | z              |             |                 |               |   |  |                         |  |
|----------------------|----------------|-------------|-----------------|---------------|---|--|-------------------------|--|
| Height: <b>28 cm</b> | Length: 3.6 cm | Width: 8 cm | Weight: 0.12 kg | Retail box: 8 | Art. no.                                  | 1023620  | E A                     | 6 <sup>°</sup> 4 1 1 5 0 1 <sup>°</sup> 5 6 0 1 9 3 <sup>°</sup> |
|                      | 2              |             |                 |               | <ul><li>Built-in</li><li>Sheath</li></ul> | r blade for more pr<br>, easy-to-use shar<br>reversable for righ | rpener.<br>nt- or left- |  |

3-component ergonomic handle (patent pending).

| Carpenter     | Carpenter's Knife with Sharpener (yellow) |             |                 |               |             |  |         |                 |  |  |
|---------------|---|-------------|-----------------|---------------|-------------|--|---------|-----------------|--|--|
| Height: 28 cm | Length: <b>3.6 cm</b>                     | Width: 8 cm | Weight: 0.15 kg | Retail box: 8 | Art. no.    | 1023621  | ĒA      | 6 411501 560209 |  |  |
|               | 0   |             |                 |               | • Built-in, | ality chisel blade.<br>easy-to-use sha<br>reversable for rig | rpener. | handed use.     |  |  |

• 3-component ergonomic handle (patent pending).

## **Other Knives | Fixed Blades**

#### Mineral Wool Knife (K20)

| Mineral W             | Mineral Wool Knife (K20) |               |                 |               |  |         |            |   |  |  |
|-----------------------|--------------------------|---------------|-----------------|---------------|--|---------|------------|---|--|--|
| Height: <b>1.8 cm</b> | Length: 42 cm            | Width: 3.8 cm | Weight: 0.14 kg | Retail box: 4 | Art. no.                                     | 1001626 | EA         | 6 <sup>11</sup> 4 1 1 5 0 2 <sup>11</sup> 8 7 9 0 2 7 <sup>11</sup> |  |  |
|                       |                          | classom       |                 |               | <ul> <li>Ideal for<br/>polysterer</li> </ul> |         | g material | ls such as mineral wool or  |  |  |

Tough, releatess cuts

0

FS


## **PowerGear**<sup>™</sup>

#### Utilise more of your strength


Patented PowerGear<sup>™</sup> technology gives you over 40% more power, making it easier to cut sheet metal, especially at the beginning of the cut where more force is required.

#### **Optimised handle span**


Fits your grip, letting you apply more power without sacrificing cut length.



#### A tool for every task



Offset aviation snips allow you to keep your hand on top of the sheet for cuts through the center of the sheet. These tools cut at a sharper angle, distancing your hands from sharp, jagged work surfaces.



Ideal for cutting a range of heavy-duty materials.



Shorter cut length increases cutting capacity.

## **PowerGear**<sup>™</sup>


-



## **Aviation Snips**

Fiskars Pro PowerGear<sup>™</sup> aviation snips are ideal for cutting a range of heavy-duty materials, including sheet metal, ductwork, drywall corners, metal studs, siding, soffit, fascia, drip edge, gutters and more.

Equippied with PowerGear<sup>™</sup> patented technology, these tools feature leverage -enhancing gears that give you over 40 % more power, especially during the toughest part of the cut.



|                | ar™ Aviation   |                       | -  |                                       |   |  | EA EA   |
|----------------|--|-----------------------|--|---------------------------------------|---|--|---|
| leight: 3.5 cm | Length: 29.5 cm  | Width: <b>10.5 cm</b> | Weight: 0.48 kg  | Retail box: 6                         | Art. no.  | 1027211  | 6"411501"70129  |
| 10             |  |                       |  | Retail<br>pack                        | more powe<br>• Forged, h<br>for long life<br>• Ergonomi<br>fatigue and<br>• Cut capac | r without sacrific<br>eat-treated steel<br>and durability.<br>ic, spring-assiste<br>enhances dexte     | blades and handle are 40% stronger<br>ed, SoftGrip™ handle reduces hand                               |
| PowerGea       | ar™ Aviation   | Snips (bullo          | log)   |                                       |   |  | EAN   |
| Height: 2.5 cm | Length: 29.3 cm  | Width: <b>10.2 cm</b> | Weight: 0.43 kg  | Retail box: 8                         | Art. no.  | 1027212  | 6 <sup>14</sup> 11501 <sup>17</sup> 701305  |
| 05             |  |                       |  | Retail<br>pack                        | more powe<br>• Forged, h<br>while a sho<br>• Ergonomi<br>fatigue and<br>• Cut capac   | r without sacrific<br>eat-treated steel<br>rter cut length ind<br>ic, spring-assiste<br>enhances dexte | blades and handle are 40% stronger,<br>creases cutting capacity.<br>ad, SoftGrip™ handle reduces hand |
|                |  |                       |  |                                       |   |  |   |
| A              | viation  | Snips                 | •  |                                       |   |  |   |
| cons<br>bla    | Forged, heat-<br>treated steel<br>struction from<br>ade to handle<br>r long life and<br>durability |                       |  | Extende<br>blade tang<br>leverage and | ed, forged<br>improves<br>I strength  | Sot<br>Grij  | Handles with<br>strategic texturing<br>for enhanced<br>comfort & control                              |
|                |  | 05                    |  |                                       |   |  |   |
| Pc             | owerGear <sup>™</sup>  |                       |  |                                       | V   | 0  |   |
|                |  | handl<br>automa       | yAction <sup>™</sup><br>e opens<br>tically to<br>e fatigue |                                       | E<br>QQ   |  | Limited handle<br>opening<br>Prevents over-<br>extension without<br>sacrificing cut length            |

## Outperformations leading competitors

## **PowerArc**<sup>™</sup>

A Contraction of the second

And the second se


Intelligent mechanics Patent-pending technology features curved blades for up to 40% more power.





## **Heavy-duty Scissors**

Fiskars Pro heavy-duty scissors feature power-enhanging technologies, such as PowerArc<sup>™</sup> for up to 30% more power, and Amplify<sup>™</sup> that cuts up to 2x thicker materials. This makes them ideal for cutting a variety of materials including insulation, duct tape, cardboard, cork, board rope, tar paper, Tyvek, hoses and more. Heavy-duty stainless steel blades power through thick materials without separation, while durable construction and high-quality materials guarantee long life.




| Amplify™             | Scissors, 2  | 4 cm              |                        |               |  | z   |
|----------------------|--------------|-------------------|------------------------|---------------|--|---|
| Height: <b>25 cm</b> | Length: 2 cm | Width: <b>9cm</b> | Weight: <b>0.17 kg</b> | Retail box: 5 | Art. no. <b>1020223</b>  | 6 <sup>11</sup> 411508 <sup>11</sup> 891689 <sup>11</sup>   |
| 9                    |              |                   |                        |               | carpet, canvas, upholster<br>• Premium-grade, stainle<br>edge stay sharp and cut o | ick, heavy materials like leather, burlap,<br>ry and much more.<br>ss steel blades with a precisely-honed<br>cleanly, all the way to the tip.<br>with ergonomic sculpting for exceptional |

| Hardware             | z            | 3 <sup>11</sup> 3 5 9 9 0 0 <sup>11</sup> 6 9 9 6 3 8 <sup>11</sup> |                 |               |           |                       |        |                           |
|----------------------|--------------|---|-----------------|---------------|-----------|-----------------------|--------|---------------------------|
| Height: <b>32 cm</b> | Length: 2 cm | Width: 9cm  | Weight: 0.13 kg | Retail box: 6 | Art. no.  | 1020478               | EA     | 3 3 5 9 9 0 0 6 9 9 6 3 8 |
|                      |              |   |                 |               | • High-qu | ality stainless steel | blades | with wire cutting notch.  |

• Ergonomic and durable design.





## Experience advanced mechanics


## **PowerGear<sup>™</sup> Bolt Cutter**


Cut a range of heavy-duty materials including padlocks, chains, rebar, metal rods, threaded rods and more.



## **Bolt Cutters**

Ideal for cutting a range of heavy-duty materials including paddle locks, chains, rebar, metal rod, threaded rod and more, Fiskars Pro Bolt cutters feature PowerGear<sup>™</sup> patented technology - leverage-enhancing gears that give you over 30% more power, especially during the toughest part of the cut. Adjustable eccentric bolts allow you to optimize jaw alignment for optimal cut performance over time.





# TM soCore

#### **Reduce punishment on your body**

Patented technology reduces strike shock and vibration up to 70%, reducing muscle fatigue and joint pain.

Built to last longer Forged, heat-treated steel head, finished with a rust-resistant coating.

### Maximum strike control

Ergonomically contoured grip and perfectly balanced shaft to give the ultimate strike feel.







# **Sledge Hammers**

Patented IsoCore<sup>™</sup> Shock Control System transfers 2x less shock and vibration than wood handles, reducing the punishment your body takes

**5x more destructive** Induction-hardened, wedge-shaped demolition head concentrates force for maximum destruction, directing debris to the sides and away from the user

Inseparable riveted head Stainless steel riveted head with steel-reinforced core gives our product unmatched head retention and durability




large diameter improves strike accuracy. Larger than competition.

**IsoCore**<sup>™</sup> **50%** SHOCK

## **Striking Tools**

| lsoCore™              | L Sledge Ha            | mmer                  |                 |                             |  |  | EAN   |  |
|-----------------------|------------------------|-----------------------|-----------------|-----------------------------|--|--|---|--|
| Height: 7.6 cm        | Length: 92.1 cm        | Width: 15.9 cm        | Weight: 4.76 kg | Retail box: 2               | Art. no.   | 1020219  | Ŭ   | 6 4 1 1 5 0 1 5 6 0 0 6 3  |
|                       |                        |                       |                 | reddot award 2016<br>winner | destructive p<br>Inseparable<br>Forged, he<br>Extra-large<br>Handle flar<br>Insulation s<br>Dual-layer<br>lingering vib<br>Steel-jacke | oower.<br>e riveted hea<br>eat-treated ste<br>e diameter dri<br>re keeps the t<br>sleeve captur<br>handle featur<br>ration.<br>eted core imp | d will not sli<br>eel with rust<br>iving face in<br>ool firmly in<br>res initial stri<br>res insulatin<br>proves hand | g materials to dampen  |
| soCore™               | XL Sledge H            | lammer                |                 |                             |  |  | z   |  |
| Height: <b>8.3 cm</b> | Length: 92.1 cm        | Width: <b>17.8 cm</b> | Weight: 5.67 kg | Retail box: 2               | Art. no.   | 1020164  | EAN   | 6 4 1 1 5 0 1 5 6 0 0 7 0  |
|                       |                        |                       |                 | reddot award 2016<br>winner | destructive p<br>Inseparable<br>Forged, he<br>Extra-large<br>Handle flar<br>Insulation s<br>Dual-layer<br>lingering vib<br>Steel-jacke | oower.<br>e riveted hea<br>eat-treated ste<br>e diameter dri<br>re keeps the t<br>sleeve captur<br>handle featur<br>ration.<br>eted core imp | d will not sli<br>eel with rust<br>iving face in<br>ool firmly in<br>res initial stri<br>res insulatin<br>proves hand | g materials to dampen  |
| soCore™               | M Club Ham             | nmer                  |                 |                             |  |  | EAN   |  |
| Height: 5.7 cm        | Length: 28.6 cm        | Width: <b>12.1 cm</b> | Weight: 1.63 kg | Retail box: 2               | Art. no.   | 1020217  |   | 6 4 1 1 5 0 1 5 6 0 0 4 9  |
|                       |                        |                       |                 | reddot award 2016 winner    | destructive p<br>• Extra-large<br>• Forged, he<br>• Sculpted S<br>• Handle flar<br>• Strategic h<br>blisters.<br>• Insulation s        | oower.<br>e diameter dri<br>eat-treated ste<br>SoftGrip™ ha<br>e keeps tool<br>andle texturi<br>sleeve captur<br>handle featur               | iving face in<br>eel with rust<br>ndle for enh<br>firmly in han<br>ng for maxir<br>res initial stri                   | tes force for up to 5x more<br>nproves strike accuracy.<br>-resistant coating.<br>anced comfort and control.<br>d when swinging.<br>num grip helps prevent<br>ke shock.<br>g materials to dampen |
| soCore™               | L Club Ham             | mer                   |                 |                             |  |  | 7   |  |
| Height: <b>5.7 cm</b> | Length: <b>36.2 cm</b> | Width: 14 cm          | Weight: 2.18 kg | Retail box: 2               | Art. no.   | 1020218  | EAN   | 6 4 1 1 5 0 1 5 6 0 0 5 6  |
|                       |                        | )                     |                 | reddot award 2016<br>winner | destructive p<br>• Extra-large<br>• Forged, he<br>• Sculpted S<br>• Handle flar<br>• Strategic h<br>blisters.<br>• Insulation s        | oower.<br>e diameter dri<br>eat-treated ste<br>SoftGrip™ ha<br>e keeps tool<br>andle texturi<br>sleeve captur<br>handle featur               | iving face in<br>eel with rust<br>ndle for enh<br>firmly in har<br>ng for maxir<br>res initial stri                   | tes force for up to 5x more<br>proves strike accuracy.<br>-resistant coating.<br>anced comfort and control.<br>d when swinging.<br>num grip helps prevent<br>ke shock.<br>g materials to dampen  |
| soCore™               | XXL Builder            | 's Axe                |                 |                             |  |  | z   |  |
| Height: <b>7.6 cm</b> | Length: 92.1 cm        | Width: 20.3 cm        | Weight: 4.23 kg | Retail box: 2               | Art. no.   | 1020220  | EAN   | 6 4 1 1 5 0 1 5 6 0 0 8 7  |
|                       |                        | TRANT                 |                 | reddot award 2016<br>winner | driving face<br>• Inseparabl<br>• Forged, he<br>• Driving fac<br>help force th<br>• Handle flar  | can be struck<br>e riveted hea<br>eat-treated ste<br>e can be stru<br>e wedge.<br>re keeps tool<br>andle texturi                             | with anoth<br>d will not sli<br>eel with rust<br>ck with ano<br>firmly in har<br>ng for maxir                         | bugh logs apart while the<br>er tool to force the wedge.<br>de down or snap off.<br>-resistant coating.<br>ther tool during splitting to<br>d when swinging.<br>num grip helps prevent           |



## **Striking Tools**

### IsoCore<sup>™</sup> L Pick

| IsoCore™     | IsoCore™ L Pick  |                 |                |               |  |   |   |  |  |  |  |
|--------------|------------------|-----------------|----------------|---------------|--|---|---|--|--|--|--|
| Height: 9 cm | Length: 91.36 cm | Width: 46.89 cm | Weight: 3.4 kg | Retail box: 2 | Art. no.   | 1020166   | 6 4 1 1 5 0 1 5 6 0 0 9 4   |  |  |  |  |
|              | 1887             | -               |                |               | mattock e<br>Insepara<br>Forged,<br>Sculpte<br>Patent-p<br>dimples for<br>to prevent | end for use as a he<br>able riveted head<br>heat-treated stee<br>d SoftGrip™ hand<br>bending, strategio<br>or maximum grip<br>t blisters. | for driving through hard surfaces and<br>oe in tough soil.<br>will not slide down or snap off.<br>el with rust-resistant coating.<br>dle for enhanced comfort and control.<br>c handle texturing features large finger<br>and small dimples where the palm rests<br>s initial strike shock. |  |  |  |  |

#### Isocore<sup>™</sup> S Pick

| Isocore™        | Isocore <sup>™</sup> S Pick |               |                |               |  |   |   |  |  |  |  |
|-----------------|-----------------------------|---------------|----------------|---------------|--|---|---|--|--|--|--|
| Height: 36.3 cm | Length: 14.6 cm             | Width: 6.3 cm | Weight: 1.2 kg | Retail box: 2 | Art. no.   | 1062937   | 6 <sup>11</sup> 411501 201201   |  |  |  |  |
| New             |                             |               |                |               | mattock e<br>• Insepar<br>• Forged,<br>• Sculpte | end for use as a he<br>able riveted head<br>heat-treated stee<br>d SoftGrip™ tanc | for driving through hard surfaces and a<br>be in tough soil.<br>will not slide down or snap off.<br>I with rust-resistant coating.<br>Ile for enhanced comfort and control.<br>Is grip and prevents blisters. |  |  |  |  |

#### Isocore<sup>™</sup> S Maul

| Isocore <sup>™</sup> S  | z               | <b>6</b> <sup>1</sup> 411501 <sup>1</sup> 201195 <sup>1</sup> |                 |               |                              |  |        |                           |
|-------------------------|-----------------|---|-----------------|---------------|------------------------------|--|--------|---------------------------|
| Height: <b>35.89 cm</b> | Length: 5.08 cm | Width: 14.30 cm   | Weight: 1.36 kg | Retail box: 2 | Art. no.                     | 1062936  | Ē      | 6 4 1 1 5 0 1 2 0 1 1 9 5 |
| New                     |                 |   |                 |               | <ul> <li>Transfer</li> </ul> | splitting small logs a<br>s less shock and vib | ration | than wood-handled mauls,  |

Inalistic stess shock and violation that wood-handled matrix reducing punsishment on your body.
Inseparable riveted head will not slide down or snap off, even when swinging with maximum force.
Forged, heat-treated steel with rust-resistant coating.

### Hammers

| IsoCore™              | IsoCore™ M Finishing Hammer |                       |                 |   |            |  |            |   |  |  |  |
|-----------------------|-----------------------------|-----------------------|-----------------|---|------------|--|------------|---|--|--|--|
| Height: <b>3.8 cm</b> | Length: 34.3 cm             | Width: <b>13.3 cm</b> | Weight: 0.82 kg | Retail box: 6                             | Art. no.   | 1020213  | EA         | 6 <sup>11</sup> 4 1 1 5 0 1 <sup>11</sup> 5 6 0 0 0 1 <sup>11</sup> |  |  |  |
| 1                     |                             |                       | Retail          | <b>9</b>                                  | the surrou | driving small nail<br>Inding area.<br>I pulls nails quickl |            | ble surfaces without damaging sily.                                 |  |  |  |
|                       | <u>د ، جا</u>               |                       | pack            | red <mark>dot</mark> award 2016<br>winner | Product c  | ode for retail read  | dy display | pack with 6 pcs; 1051973  |  |  |  |

| IsoCore™       | IsoCore™ M Finishing Hammer, Curved Claw |                       |                 |                             |            |              |     |   |  |  |
|----------------|--|-----------------------|-----------------|-----------------------------|------------|--------------|-----|---|--|--|
| Height: 2.8 cm | Length: 34 cm                            | Width: <b>13.6 cm</b> | Weight: 0.88 kg | Retail box: 6               | Art. no.   | 1027202      | EAN | 6" 4 1 1 5 0 1" 7 0 1 2 0 6"                                  |  |  |
|                |  |                       | Retail          | Ŷ                           | the surrou | inding area. |     | ble surfaces without damaging moving nails faster and easier. |  |  |
| <u> </u>       | 5.2                                      |                       | pack            | reddot award 2016<br>winner |            |              |     |   |  |  |
| 0              |  |                       |                 |                             |            |              |     |   |  |  |


| IsoCore™              | L General U     | se Hammer      |                 |                             |   |  | z                      |   |
|-----------------------|-----------------|----------------|-----------------|-----------------------------|---|--|------------------------|---|
| Height: <b>3.8 cm</b> | Length: 34.3 cm | Width: 14.6 cm | Weight: 0.91 kg | Retail box: 6               | Art. no.  | 1020214  | EAN                    | 6" 4 1 1 5 0 1" 5 6 0 0 1 8"  |
|                       | <b>¢</b> •      | )              | Retail<br>pack  | reddot award 2016<br>winner | the surrou<br>• Magneti<br>hand in ha<br>• Rip claw | nding area.<br>c nail-starter groo<br>rd places.<br>pulls nails quickl | ove allow<br>ly and ea | ible surfaces without damaging<br>rs you to start nails with one<br>sily.<br>y pack with 6 pcs; 1051975 |

| IsoCore™              | L General L    | Jse Hammer     | ; Curved Cla    | aw                          |                            |                   | z   |
|-----------------------|----------------|----------------|-----------------|-----------------------------|----------------------------|-------------------|---|
| Height: <b>3.2 cm</b> | Length: 34 cm  | Width: 13.4 cm | Weight: 0.78 kg | Retail box: 6               | Art. no.                   | 1027203           | 6"411501"70121  |
| -                     | <b>č</b> • 200 |                | Retail<br>pack  | reddot award 2016<br>winner | the job site<br>• Curved o | e or around the h | ing a wide variety of common tasks on<br>nouse.<br>o make removing nails faster and easie |

| IsoCore™              | soCore™ XL General Use Hammer |                |                 |                             |  |   |                         |   |  |  |
|-----------------------|-------------------------------|----------------|-----------------|-----------------------------|--|---|-------------------------|---|--|--|
| Height: <b>3.8 cm</b> | Length: 39.4 cm               | Width: 14.6 cm | Weight: 0.86 kg | Retail box: 6               | Art. no.   | 1020215   | EAN                     | 6 4 1 1 5 0 1 5 6 0 0 2 5   |  |  |
|                       | د                             |                | Retail<br>pack  | reddot award 2016<br>winner | the surrou<br>• Magnetic<br>hand in ha<br>• Rip claw | nding area.<br>c nail-starter groc<br>rd places.<br>pulls nails quickly | ove allows<br>y and eas | ble surfaces without damaging<br>s you to start nails with one<br>sily.<br>pack with 6 pcs; 1051974 |  |  |

| IsoCore™              | XXL Milled-            | faced Frami    | ing Hamme       | r                                    |   |   | z  |
|-----------------------|------------------------|----------------|-----------------|--------------------------------------|---|---|--|
| Height: <b>3.8 cm</b> | Length: <b>40.6 cm</b> | Width: 14.6 cm | Weight: 1.02 kg | Retail box: 4                        | Art. no.  | 1020216   | 6"411501" 560032"  |
|                       | - 🔇 ,                  |                | Retail<br>pack  | <b>W</b> reddot award 2016<br>winner | Handle fla     Sculpted S     while improv     Milled face     the nail whee     Magnetic     hand in hard     Forged, ha     Extended     precision st | re keeps the tool<br>SoftGrip™ handle<br>ving comfort and<br>e grips nail head t<br>en striking.<br>nail-starter groov<br>d places.<br>uulls nails quickly a<br>eat-treated steel v<br>grip lets you chol<br>rikes. | to help prevent hammer from sliding off<br>re allows you to start nails with one |


Product code for retail ready display pack with 6 pcs; 1051976



# Punish projects not your body

### **Demolition Tools**

Fiskars Pro demolition tools are great for a variety of demolishing tasks and feature patented IsoCore<sup>™</sup> shock control technology to reduce shock and vibration by up to 70%.




### **Iron Bars**

| Iron Bar, 5    | Image: Prom Bar, 5 kg         Length: 2.9 cm         Width: 2.9 cm         Weight: 4.97 kg         Retail box: 1         Art. no.         1027234 |               |                 |               |   |   |  |  |  |
|----------------|---|---------------|-----------------|---------------|---|---|--|--|--|
| Height: 120 cm | Length: 2.9 cm  | Width: 2.9 cm | Weight: 4.97 kg | Retail box: 1 | Art. no. <b>1027234</b>   | 6 <sup>11</sup> 411501 <sup>11</sup> 701527 |  |  |  |
|                |   |               |                 |               | <ul> <li>Octagonal cross-section</li> <li>Made of high quality &amp; duite</li> </ul> |   |  |  |  |



| Iron Bar, 7    | z              |               |                 |               |          |         |   |                           |
|----------------|----------------|---------------|-----------------|---------------|----------|---------|---|---------------------------|
| Height: 150 cm | Length: 3.1 cm | Width: 3.1 cm | Weight: 7.01 kg | Retail box: 1 | Art. no. | 1027236 | Ш | 6 4 1 1 5 0 1 7 0 1 5 4 1 |

For levering, moving loads, dislodging stones & digging.
Octagonal cross-section for better grip.
Made of high quality & durable carbon steel.
Hardened ends to ensure user safety when using the bar to strike.



Fiskars has been shaping the world since 1649. Our scissors have cut millions of meters of fabrics. Our axes have chopped millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all leading to 100% Happiness.

COOKING | GARDENING | CREATING | HARDWARE

